

NE1 -Stratford			Estimated numbers of properties							Estimated duration, in months, of				
Ref	Floor	Receptor	Significant Impact	Day	Evening	Night	Week-end	Eligible for NI	Eligible for TH	Total noise level >=85 dB	Significant Residual Impact	Eligible for TH	Significant Residual Impact	No. of occurrences (non-res)
		Total Residential Properties	0	0	0	0	0	0	0	0	0	0	0	0

NE 2 - Forest Gate			Estimated numbers of properties							Estimated duration, in months, of		
			Significant Impact	Day	Evening	Night	Week-end	Eligible for NI	Eligible for TH	Total noise level >=85 dB	Significant Residual Impact	Eligible for TH
Ref	Floor	Receptor										
2	1	127 Forest Lane	4			4		4	0	0	0	0
3	1	129 Forest Lane	3			3		3	0	0	0	0
4	1	134 Forest Lane	6			6		6	0	0	0	0
5	1	140 Forest Lane	7	7		7		7	0	0	0	0
6	1	21-31 Forest Street	10			10		10	0	0	0	0
7	1	Forest Gate Community School	0	1		1		0	0	0	1	4
9	1	169 Forest Lane	5	5				5	0	0	0	0
15	1	Cherubim & Seraphim Church	0			1		0	0	0	1	4
16	1	183 Earham Grove	4			4		4	0	0	0	0
Total Residential Properties			39	12	0	34	0	39	0	0	2	8

NE3 - Manor Park Station Noise Impact			Estimated numbers of properties							Estimated duration, in months, of		No. of occurrences (non-res)		
			Significant Impact	Day	Evening	Night	Week-end	Eligible for NI	Eligible for TH	Total noise level >=85 dB	Significant Residual Impact		Eligible for TH	Significant Residual Impact
Ref	Floor	Receptor												
22	1	32 Durham Road	4	4				0	0	0	4	0	2	0
23	1	24 Durham Road	4	4				4	0	0	0	0	0	0
24	1	16 Durham Road	4	4		4		4	0	0	0	0	0	0
25	1	10 Durham Road	6	6				6	0	0	0	0	0	0
Total Residential Properties			18	18	0	4	0	14	0	0	4	0	0	0

NE04 - Aldersbrook Station			Estimated numbers of properties							Estimated duration, in months, of		No. of occurrences (non-res)	
Ref	Floor	Receptor	Significant Impact	Day	Evening	Night	Eligible for NI	Eligible for TH	Total noise level >=85 dB	Significant Residual Impact	Eligible for TH		Significant Residual Impact
Total Residential Properties			0	0	0	0	0	0	0	0	0	0	4

NE4 - Ilford Station			Estimated numbers of properties							Estimated duration, in months, of		No. of occurrences (non-res)	
			Significant Impact	Day	Evening	Night	Eligible for NI	Eligible for TH	Total noise level >=85 dB	Significant Residual Impact	Eligible for TH		Significant Residual Impact
Ref	Floor	Receptor											
6	1	55 - 71 York Road (inc surgery)	8	9	9	9	8	0	0	1	0	2	
10	1	21 - 33 (odd) York Road (inc surgery)	6	7	7	7	6	6	0	1	7	8.5	
11	2	17 - 19 (odd) York Road	2	2	2	2	2	0	0	0	0	0	
12	2	13 - 15 (odd) York Road	2	2	2	2	2	0	0	0	0	0	
13	2	1 - 11 (odd) York Road	6	6	6	6	6	0	0	0	0	0	
25	1	Rear of 77 - 85 Ilford Hill	9	9	9	9	9	0	0	0	0	0	
26	0	PH - Ilford Hill	1		1	1	1	0	0	0	0	0	
100	0	33a York Mews	2	2	2	2	2	0	0	0	0	0	
100	1	33a York Mews	2	2	2	2	2	2	0	0	7	0	
100	2	33a York Mews	2	2	2	2	2	2	0	0	7	0	
101	1	45a York Mews	2	2	2	2	2	2	0	0	7	0	
101	2	45a York Mews	2	2	2	2	2	2	0	0	9	0	
102	1	51b York Mews	2	2	2	2	2	2	0	0	9	0	
102	2	51b York Mews	2	2	2	2	2	2	0	0	9	0	
103	2	Carmel College 9-17 Cranbro	0	1	1	1	0	0	0	1	0	8.5	
Total Residential Properties			48	47	48	48	48	18	2	0	55	19	0

NE 5 - Seven Kings			Estimated numbers of properties							Estimated duration, in months, of		No. of occurrences (non-res)	
			Significant Impact	Day	Evening	Night	Week-end	Eligible for NI	Eligible for TH	Total noise level ≥ 85 dB	Significant Residual Impact		Eligible for TH
Ref	Floor	Receptor											
11	1	Canon Palmer Catholic School	0	0	1	0	0	0	0	1	0	1.5	2
12	1	38 Lombard Avenue	5	0	0	5	0	5	0	0	0	0	0
Total Residential Properties			5	0	0	5	0	5	0	0	1	0	2

NE 6 - Goodmayes Construction Noise Impact			Estimated numbers of properties							Estimated duration, in months, of		No. of occurrences (non-res)
			Significant Impact	Day	Evening	Night	Week-end	Eligible for NI	Eligible for TH	Total noise level >=85 dB	Significant Residual Impact	
Ref	Floor	Receptor										
Total Residential Properties			0	0	0	0	0	0	0	0	0	0

NE6 - Chadwell Heath Sidings			Estimated numbers of properties									Estimated duration, in months, of		
Ref	Floor	Receptor	Significant Impact	Day	Evening	Night	Week-end	Eligible for NI	Eligible for TH	Total noise level >=85 dB	Significant Residual Impact	Eligible for TH	Significant Residual Impact	No. of occurrences (non-res)
81	1	81-95 Express Drive	19	19	0		19	19	0	0	0	0	0	0
91	1	112 Fenman Gardens	24	24	0		24	24	0	0	0	0	0	0
Total Residential Properties NE6			43	43	0	0	43	43	0	0	0	0	0	0

NE7 - Chadwell Heath Sidings			Estimated numbers of properties									Estimated duration, in months, of		
Ref	Floor	Receptor	Significant Impact	Day	Evening	Night	Week-end	Eligible for NI	Eligible for TH	Total noise level >=85 dB	Significant Residual Impact	Eligible for TH	Significant Residual Impact	No. of occurrences (non-res)
57	1	6 Griffith Close	4		0		4	4	0	0	0	0	0	0
Totals Residential Properties NE7			4	0	0	0	4	4	0	0	0	0	0	0

NE7 - Chadwell Heath Noise Assessment			Estimated numbers of properties							Estimated duration, in months, of		No. of occurrences (non-res)	
			Significant Impact	Day	Evening	Night	Week-end	Eligible for NI	Eligible for TH	Total noise level >=85 dB	Significant Residual Impact		Eligible for TH
Ref	Floor	Receptor											
8	1	42 Overton Drive -Rear	5	5	0	0	0	0	0	5	0	1	0
9	1	52 Overton Drive -Rear	5	5	0	0	5	0	0	0	0	0	0
51	1	17 Armstrong Close	4	4	0	0	0	0	0	4	0	1	0
Total Residential Properties			14	14	0	0	5	0	0	9	0	2	0

NE 08 Romford Depot			Estimated numbers of properties							Estimated duration, in months, of			No. of occurrences (non-res)	
			Significant Impact	Day	Evening	Night	Week-end	Eligible for NI	Eligible for TH	Total noise level >=85 dB	Significant Residual Impact	Eligible for TH		Significant Residual Impact
Ref	Floor	Receptor												
64	1	44 Crow Lane	3				3	0	0	0	3	0	18	0
67	1	56 Crow Lane	4				4	0	0	0	4	0	18	0
68	1	66 Crow Lane	7				7	0	0	0	7	0	18	0
70	1	80 Crow Lane	3				3	3	0	0	0	0	0	0
71	1	90 Crow Lane	4				4	4	0	0	0	0	0	0
72	1	98 Crow Lane	4				4	4	0	0	0	0	0	0
73	0	106 Crow Lane	1				1	1	0	0	0	0	0	0
74	0	Lynbury	5				5	5	0	0	0	0	0	0
75	1	98 Crow lane	3	3			3	3	0	0	0	0	0	0
76	1	188 Crow Lane	4				4	0	0	0	4	0	20	0
77	1	178 Crow Lane	1				1	0	0	0	1	0	33	0
78	1	158 Crow Lane	1				1	0	0	0	1	0	33	0
79	1	156 Crow Lane	1				1	0	0	0	1	0	33	0
80	1	128 Crow Lane	2				2	0	0	0	2	0	18	0
94	0	208 Crow Lane	6	6			6	6	0	0	0	0	0	0
95	0	218 Crow Lane	6	6			6	6	0	0	0	0	0	0
96	1	228 Crow Lane - Building R	1	1			1	1	0	0	0	0	0	0
167	69	91 Jutsums Lane	1				1	1	0	0	0	0	0	0
169	71	87 Jutsums Lane East	3				3	3	0	0	0	0	0	0
170	72	81 Jutsums Lane	2				2	2	0	0	0	0	0	0
173	75	57 Ainsley Avenue	2				2	2	0	0	0	0	0	0
174	76	49 Ainsley Avenue	4				4	4	0	0	0	0	0	0
175	77	41 Ainsley Avenue	2				2	2	0	0	0	0	0	0
176	78	35 Ainsley Avenue	4				4	4	0	0	0	0	0	0
178	80	35 Ainsley Avenue	4				4	4	0	0	0	0	0	0
179	81	11a Ainsley Avenue	4	4			4	4	0	0	0	0	0	0
180	82	5 Ainsley Avenue	4				4	4	0	0	0	0	0	0
188	90	HA09 Jutsums Recreation Gro	0				1	0	0	0	1	0	18	2
Total Residential Properties			86	20			86	63	0	0	23	0	209	2

NE9 Romford Depot			Estimated numbers of properties							Estimated duration, in months, of				
Ref	Floor	Receptor	Significant Impact	Day	Evening	Night	Week-end	Eligible for NI	Eligible for TH	Total noise level >=85 dB	Significant Residual Impact	Eligible for TH	Significant Residual Impact	No. of occurrences (non-res)
48	1	47 Beechfield Gardens	6	6			6	6	0	0	0	0	0	0
49	1	48 Beechfield Gardens	6	6				6	0	0	0	0	0	0
50	1	44 Beechfield Gardens	6	6				0	0	0	6	0	46	0
51	1	32 Beechfield Gardens	6	6			6	0	0	0	6	0	46	0
52	1	20 Beechfield Gardens	6	6			6	6	0	0	0	0	0	0
53	1	8 Beechfield Gardens	6	6			6	6	0	0	0	0	0	0
60	1	4 Crow Lane	6	6			6	6	0	0	0	0	0	0
22	1	Proposed Mental Health Unit	0	1			1	0	0	0	1	0	28	3
27	1	Oldchurch Keyworker Housing A-D	4	4				0	0	0	4	0	6	0
32	1	95 Waterloo Road	4	4				0	0	0	4	0	6	0
33	1	3-4 Nursery Walk	4	4			4	4	0	0	0	0	0	0
Total Residential Properties			54	54	0	0	34	34	0	0	20	0	132	3

NE 9 - Romford			Estimated numbers of properties							Estimated duration, in months, of		No. of occurrences (non-res)	
			Significant Impact	Day	Evening	Night	Week-end	Eligible for NI	Eligible for TH	Total noise level >=85 dB	Significant Residual Impact		Eligible for TH
Ref	Floor	Receptor											
10	1	95 South Street	2	2		2	2	2	0	0	20	0	0
18	1	139 South Street	1	1		1	1	1	0	0	12	0	0
20	1	163 South Street	7			7	7	7	0	0	0	0	0
21	1	3 Victoria Road	5			5	5	5	0	0	0	0	0
22	1	183 South Street	6			6	6	6	0	0	0	0	0
27	1	95 Waterloo Road	5			5	5	5	0	0	0	0	0
28	1	105 Waterloo Road	6			6	6	6	0	0	0	0	0
31	1	30 Regarth Avenue	7			7	7	7	0	0	0	0	0
32	1	16 Regarth Avenue	6			6	6	6	0	0	0	0	0
34	1	168 South Street	4			4	4	4	0	0	0	0	0
35	1	8 Regarth Avenue	6			6	6	6	0	0	0	0	0
36	0	13 Western Court, Chandlers Way	2			2	2	2	0	0	0	0	0
36	1	13 Western Court, Chandlers Way	2			2	2	2	0	0	0	0	0
47	1	Old Mill Parade Bulding - Rear	6			6	6	6	0	0	0	0	0
48	1	6 Victoria Road - Rear	2	2		2	2	2	0	0	0	0	0
49	1	11 Victoria Road - Rear	3			3	3	3	0	0	0	0	0
50	1	17 Victoria Road	1			1	1	1	0	0	0	0	0
56	1	16-20 Victoria Road	3			3	3	3	0	0	0	0	0
57	1	32 Victoria Road	3			3	3	3	0	0	0	0	0
58	1	41 Victoria Road	4			4	4	4	0	0	0	0	0
66	0	1-49 Gibson Court	6			6	6	6	0	0	0	0	0
66	1	1-49 Gibson Court	6			6	6	6	0	0	0	0	0
Total Residential Properties			93	5	0	95	56	93	0	0	32	0	0

NE 10 - Gidea Park Station Construction Noise Impact			Estimated numbers of properties							Estimated duration, in months, of		No. of occurrences (non res)	
			Significant Impact	Day	Evening	Night	Week-end	Eligible for NI	Eligible for TH	Total noise level >=85 dB	Significant Residual Impact		Eligible for TH
Ref	Floor	Receptor											
37	1	5 Eyre Close	1	1	0		0	0	0	1	0	1	0
Total Residential Properties			1	1	0	0	0	0	0	1	0	1	0

NE 11 - Gidea Park Stabling Siding			Estimated numbers of properties								Estimated duration, in months, of		No. of occurrences (non-res)	
Ref	Floor	Receptor	Significant Impact	Day	Evening	Night	Week-end	Eligible for NI	Eligible for TH	Total noise level >=85 dB	Significant Residual Impact	Eligible for TH		Significant Residual Impact
79	1	460-462 Upper Brentwood Roa	4	4				0	0	0	4	0	6	0
80	1	472-474 Upper Brentwood Roa	4	4				0	0	0	4	0	6	0
96	1	11-34 Coopers Court	12	12				0	0	0	12	0	6	0
98	1	59-90 Tallis Court	21	21				0	0	0	21	0	12	0
99	1	1-58 Tallis Court East	10	10				0	0	0	10	0	6	0
104	1	458 Upper Brentwood Road	1	1				0	0	0	1	0	6	0
113	1	2a Cambridge Avenue	7	7				0	0	0	7	0	12	0
114	1	14 Cambridge Avenue	4	4				0	0	0	4	0	6	0
115	1	26 Cambridge Avenue	4	4				0	0	0	4	0	6	0
116	1	38 Cambridge Avenue	5	5				0	0	0	5	0	6	0
117	1	50 Cambridge Avenue	6	6				0	0	0	6	0	6	0
126	1	1-37 Evelyn Sharp House	12				12	12	0	0	0	0	0	0
129	1	38 Amery Gardens	6				6	6	0	0	0	0	0	0
130	1	50 Amery Gardens	6				6	6	0	0	0	0	0	0
131	1	62 Amery Gardens	4	4				0	0	0	4	0	5	0
132	1	74 Amery Gardens	6	6				0	0	0	6	0	5	0
133	1	88 Amery Gardens	6	6				0	0	0	6	0	5	0
134	1	100 Amery Gardens	5	5				0	0	0	5	0	5	0
135	1	110 Amery Gardens	5	5				0	0	0	5	0	5	0
136	1	120 Amery Gardens	5	5				0	0	0	5	0	5	0
141	1	59a Amery Gardens	5	5				0	0	0	5	0	5	0
142	1	75 Amery Gardens	5	5				0	0	0	5	0	5	0
144	1	Interwood House	3				3	0	0	0	3	0	1	0
152	1	95 Stafford Avenue	2				2	0	0	0	2	0	1	0
153	1	96 Stafford Avenue	2	2			2	2	0	0	0	0	0	0
158	1	36 Ashlyn Grove	2	2				2	0	0	0	0	0	0
159	1	32 Ashlyn Grove	2	2				0	0	0	2	0	5	0
166	1	64 Stafford Avenue	10	10				0	0	0	10	0	5	0
180	1	Robert Falcon Scott Lodge	1	1				1	0	0	0	0	0	0
181	2	126-132 Amery Gardens	4	4				0	0	0	4	0	5	0
182	3	134-138 Amery Gardens	4	4				0	0	0	4	0	5	0
192	13	16 Ardleigh Close	2	2				0	0	0	2	0	5	0
Total Residential Properties			175	146	0	0	31	29	0	0	146	0	145	0

NE12 - Harold Wood Station Noise Impact PHASE 2 ONLY			Estimated numbers of properties							Estimated duration, in months, of		No. of occurrences (non-res)
			Significant Impact	Day	Evening	Night	Week-end	Eligible for NI	Eligible for TH	Total noise level >=85 dB	Significant Residual Impact	
Ref	Floor	Receptor										
15	1	21a Fitzilian Avenue - Rear	4	4	0	4	4	0	0	0	0	0
16	1	29 Fitzilian Avenue - Rear	6	6	0		0	0	0	6	0	2
24	1	28 Fitzilian Avenue	3	3	0		0	0	0	3	0	2
40	1	26a Fitzilian Avenue	3	3	0	3	3	0	0	0	0	0
41	1	20 Fitzilian Avenue	2	2	0	2	2	0	0	0	0	0
Total Residential Properties			18	18	0	9	0	0	0	9	0	4

NE15 - Brentwood Station Construction Noise Impact			Estimated numbers of properties							Estimated duration, in months, of		No. of occurrences (non-res)
			Significant Impact	Day	Evening	Night	Eligible for NI	Eligible for TH	Total noise level >=85 dB	Significant Residual Impact	Eligible for TH	
Ref	Floor	Receptor										
Total Residential Properties			0	0	0	0	0	0	0	0	0	0

NE 17 -Shenfield			Estimated numbers of properties							Estimated duration, in months, of		No. of occurrences (non-res)		
Ref	Floor	Receptor	Significant Impact	Day	Evening	Night	Week-end	Eligible for NI	Eligible for TH	Total noise level >=85 dB	Significant Residual Impact		Eligible for TH	Significant Residual Impact
1	1	250 Hutton Road	3	3			3	0	0	0	3	0	1	0
2	1	41 Margaret Avenue	4	4			4	0	0	0	4	0	2	0
3	1	14 Hunter Avenue	3	3				0	0	0	3	0	2	0
4	1	22 Hunter Avenue	5	5			5	5	0	0	0	0	0	0
5	1	38 Hunter Avenue	5	5		5	5	5	0	0	0	0	0	0
6	1	40 Hunter Avenue	5	5		5	5	5	0	0	0	0	0	0
7	1	69 Hunter Avenue	2	2		2	2	2	0	0	0	0	0	0
8	1	75 Hunter Avenue	3	3		3	3	3	3	0	0	1	0	0
9	1	81 Hunter Avenue	4	4		4	4	4	4	0	0	2	0	0
10	1	87 Hunter Avenue	4	4		4	4	4	4	0	0	2	0	0
11	1	95 Hunter Avenue	4	4		4	4	4	4	0	0	2	0	0
12	1	101 Hunter Avenue	4	4		4	4	4	4	0	0	1	0	0
13	1	109 Hunter Avenue	3	3		3	3	3	0	0	0	0	0	0
14	1	115 Hunter Avenue	3			3	3	3	0	0	0	0	0	0
15	1	121 Hunter Avenue	1			1	1	1	0	0	0	0	0	0
16	1	1 Shenfield Gardens	1				1	0	0	0	1	0	2	0
21	1	L'abri	2			2	2	2	0	0	0	0	0	0
22	1	Solheim	2	2		2	2	2	0	0	0	0	0	0
24	1	Burnside	2	2		2	2	2	2	0	0	1	0	0
25	1	Washbrook	2	2		2	2	2	2	0	0	2	0	0
26	1	Hill Croft	2	2		2	2	2	2	0	0	2	0	0
27	1	Holly House	4	4		4	4	4	0	0	0	0	0	0
28	1	St. Ninians	1	1		1	1	1	0	0	0	0	0	0
30	1	8 Alexander Lane	2	2		2	2	2	2	0	0	3	0	0
31	1	12 Alexander Lane	2	2		2	2	2	2	0	0	3	0	0
33	1	TCBs Hutton Road	1	1				0	0	0	1	0	1	0
34	1	School Mount Avenue 1	0				1	0	0	0	1	0	3	2
36	1	Surgery	0	1		1	1	0	0	0	1	0	3	2
37	1	6 Herington Avenue	1	1	1	1	1	1	0	0	0	0	0	0
38	1	2 Alexander Lane	1	1		1	1	1	0	0	0	0	0	0
39	1	6 Alexander Lane	2	2		2	2	2	0	0	0	0	0	0
40	1	10 Alexander Lane	2	2		2	2	2	0	0	0	0	0	0
41	1	14 Alexander Lane	2	2		2	2	2	0	0	0	0	0	0
42	1	20 Alexander Lane	2	2		2	2	2	0	0	0	0	0	0
43	1	Rowanbank	1	1		1	1	1	0	0	0	0	0	0
315	1	39-57 Friar's Avenue	10	10				0	0	0	10	0	2	0
319	1	59-73 Friar's Avenue	8	8				0	0	0	8	0	1	0
332	1	46 Greenway	1	1				0	0	0	1	0	1	0
333	1	40&42 Herington Grove	2	2				0	0	0	2	0	3	0
334	1	32-38 Herington Grove	4	4			4	0	0	0	4	0	5	0
335	1	35 Herington Grove	1	1				0	0	0	1	0	1	0
337	1	29-33 Herington Grove	3	3			3	0	0	0	3	0	3	0
338	1	Meiridge	1	1				0	0	0	1	0	1	0
339	1	The Coppice	1	1			1	0	0	0	1	0	1	0
340	1	Excalibur	1	1				0	0	0	1	0	1	0
341	1	Timbers	1	1				0	0	0	1	0	1	0
272	1	216 HUTTON ROAD	4	4			4	0	0	0	4	0	2	0
273	1	204 HUTTON ROAD	5	5				0	0	0	5	0	2	0
17	1	93 HUTTON ROAD	6	6		6	6	6	0	0	0	0	0	0
19	1	Talbot House	3	3		3	3	3	0	0	0	0	0	0

20	1	93 HUTTON ROAD	5	5	5	5	5	0	0	0	0	0	0	
21	1	Nos. 1a-1b Friar's Avenue	2	2	2	2	2	0	0	0	0	0	0	
22	1	Nos 2-3 Friar's Avenue	2	2	2	2	2	0	0	0	0	0	0	
23	1	Nos 5-7 Friar's Avenue	2	2	2	2	2	0	0	0	0	0	0	
24	1	Nos 9-11 Friar's Avenue	2	2	2	2	2	0	0	0	0	0	0	
25	1	No. 13-15 Friar's Avenue	2	2		2	0	0	0	2	0	3	0	
26	1	Nos 17 Friar's Avenue	3	3		3	0	0	0	3	0	3	0	
274	1	24 Herrington Grove	1	1	1	1	1	1	0	0	1	0	0	
275	1	22 Herrington Grove	1	1	1	1	1	1	0	0	1	0	0	
276	1	20 Herrington Grove	1	1	1	1	1	1	0	0	1	0	0	
277	1	18 Herrington Grove	1	1	1	1	1	1	0	0	1	0	0	
278	1	16 Herrington Grove	1	1	1	1	1	1	0	0	1	0	0	
279	1	14 Herrington Grove	1	1	1	1	1	1	0	0	1	0	0	
280	1	12 Herrington Grove	1	1	1	1	1	0	0	0	0	0	0	
281	1	11 Herrington Grove	1	1	1	1	1	0	0	0	0	0	0	
282	1	10 Herrington Grove	1	1	1	1	1	0	0	0	0	0	0	
284	1	24 Herrington Grove	1	1	1	1	1	0	0	0	0	0	0	
57	1	15 Herrington Road	1	1			0	0	0	1	0	3	0	
59	1	11 Herrington Road	1	1	1	1	1	0	0	0	0	0	0	
60	1	Fernbank	1	1	1	1	1	0	0	0	0	0	0	
62	1	5 Herrington Road	1	1			0	0	0	1	0	1	0	
63	1	3 Herrington Road	1	1			0	0	0	1	0	1	0	
66	1	Library	0	1	1	1	0	0	0	1	0	2	1	
68	1	2 Friar's Avenue	1	1		1	0	0	0	1	0	2	0	
69	1	4-10 Friar's Avenue	3	3			0	0	0	3	0	2	0	
70	1	12-18 Friar's Avenue	4	4			0	0	0	4	0	1	0	
76	1	59 Hutton Road	1	1			0	0	0	1	0	1	0	
79	1	150 Hutton Road	4	4			0	0	0	4	0	1	0	
80	1	170 Hutton Road	5	5			0	0	0	5	0	1	0	
81	1	Aldeburgh	1	1	1	1	1	0	0	0	0	0	0	
82	1	17 Herrington Grove	1	1	1	1	1	0	0	0	0	0	0	
88	1	Sinks	1	1	1	1	1	0	0	0	0	0	0	
207	1	Thorpe Lodge 1	1	1	1	1	0	0	0	1	0	1	0	
224	1	25 Friar's Avenue 1	3	3			0	0	0	3	0	2	0	
225	1	31 Friar's Avenue 1	3	3			0	0	0	3	0	2	0	
226	1	39 Friar's Avenue 1	3	3			0	0	0	3	0	2	0	
238	1	28 Herrington Avenue	1	1	1	1	1	0	0	0	0	0	0	
239	1	30 Herrington Avenue	1	1	1	1	1	0	0	0	0	0	0	
243	1	Hamilton House	1	1			0	0	0	1	0	3	0	
267	1	10 Hunter Avenue	1	1	1	1	0	0	0	1	0	2	0	
290	1	33-35 Hunter Avenue	3	3	3	3	0	0	0	3	0	1	0	
291	1	21-23 Hunter Avenue	3	3			0	0	0	3	0	1	0	
293	1	242 Hutton Road - Rear	5	5			0	0	0	5	0	1	0	
294	1	232 Hutton Road -Rear	4	4			0	0	0	4	0	1	0	
303	1	50 Hunter Avenue	4	4	4	4	4	0	0	0	0	0	0	
304	1	60 Hunter Avenue	4	4	4	4	4	0	0	0	0	0	0	
305	1	66 Hunter Avenue	5	5	5	5	5	0	0	0	0	0	0	
306	1	78 Hunter Avenue	7	7	7	7	7	0	0	0	0	0	0	
307	1	86 Hunter Avenue	3		3	3	3	0	0	0	0	0	0	
309	1	7 Rayleigh Road	4		4	4	4	0	0	0	0	0	0	
310	1	PH, 15 Rayleigh Road	1		1	1	1	0	0	0	0	0	0	
313	1	21 Rayleigh Road	1			1	0	0	0	1	0	1	0	
314	1	29 Rayleigh Road	4			4	4	0	0	0	0	0	0	
Total Residential Properties			252	232	4	135	175	144	35	0	108	25	76	5

R1 - Pitsea Sidings Spoil Transfer Facility			Estimated numbers of properties								Estimated duration, in months, of	
Ref	Floor	Receptor	Significant Impact	Day	Evening	Night	Eligible for NI	Eligible for TH	Total noise level >=85 dB	Significant Residual Impact	Eligible for TH	Significant Residual Impact
1	2	Pitsea Hall	0	1	1	1	0	0	0	0	19	0
2	2	Pitsea Hall	0	1	1	1	0	0	0	0	19	0
5	0	Pitsea Creek	0			1	0	0	0	0	0	0
6	0	71 to 81 The Glen	1			1	1	0	0	0	0	0
6	1	71 to 81 The Glen	2			2	2	0	0	0	0	0
6	2	71 to 81 The Glen	1			1	1	0	0	0	0	0
6	3	71 to 81 The Glen	2			2	2	0	0	0	0	0
7	0	55 to 69 The Glen	2			2	2	0	0	0	0	0
7	1	55 to 69 The Glen	2			2	2	0	0	0	0	0
7	2	55 to 69 The Glen	2			2	2	0	0	0	0	0
7	3	55 to 69 The Glen	2			2	2	0	0	0	0	0
8	0	31 to 41 The Glen	1			1	1	0	0	0	0	0
8	1	31 to 41 The Glen	2			2	2	0	0	0	0	0
8	2	31 to 41 The Glen	1			1	1	0	0	0	0	0
8	3	31 to 41 The Glen	2			2	2	0	0	0	0	0
9	0	15 to 29 The Glen	2			2	2	0	0	0	0	0
9	1	15 to 29 The Glen	2			2	2	0	0	0	0	0
9	2	15 to 29 The Glen	2			2	2	0	0	0	0	0
9	3	15 to 29 The Glen	2			2	2	0	0	0	0	0
10	1	102 to 116 Chestnut Road	2			2	2	0	0	0	0	0
10	2	102 to 116 Chestnut Road	2			2	2	0	0	0	0	0
10	3	102 to 116 Chestnut Road	2			2	2	0	0	0	0	0
11	1	118 to 132 Chestnut Road	2			2	2	0	0	0	0	0
11	2	118 to 132 Chestnut Road	2			2	2	0	0	0	0	0
11	3	118 to 132 Chestnut Road	2			2	2	0	0	0	0	0
12	2	134 to 148 Chestnut Road	2			2	2	0	0	0	0	0
12	3	134 to 148 Chestnut Road	2			2	2	0	0	0	0	0
13	3	150 to 164 Chestnut Road	2			2	2	0	0	0	0	0
14	3	90 to 104 Chestnut Road	2			2	2	0	0	0	0	0
15	3	118 to 128 Waterville Drive	2			2	2	0	0	0	0	0
34	2	39 Fieldway	3			3	0	0	0	3	0	19
38	0	Play area Pitsea hall	0		1	1	0	0	0	0	19	0
39	0	St Michaels Church	0			1	0	0	0	0	0	0
Total Residential Properties			53	0	0	53	50	0	0	3		